

ステンレス丸棒 (JIS G4303)

○ 4000mm ● 6000mm ☆ 2000mmUP

7.98

7.93

7.93

径φ (mm)/ 鋼種	仕上	SUS304	SUS304L	SUS303	SUS316	SUS316L	SUS310S	SUS321	SUS304N2
		kg/m	kg/m	kg/m	kg/m	kg/m	kg/m	kg/m	kg/m
8	SD	○ 0.399			○ 0.401	○ 0.401	○ 0.401		
9	SD	○ 0.505			○ 0.508				○ 0.505
10	SD/PM	○ 0.623	○ 0.623	○ 0.623	○ 0.627	○ 0.627	○ 0.627		
12	SD/PM	○ 0.897			○ 0.903	○ 0.903			
13	SD/PM	○ 1.05	○ 1.05	○ 1.05	○ 1.06	○ 1.06	○ 1.06		○ 1.05
14	SD/PM	○ 1.22	○ 1.22	○ 1.22	○ 1.23	○ 1.23			
15	SD/PM	● 1.40		● 1.40	● 1.40	● 1.40			
16	PM	● 1.59	● 1.59	● 1.59	● 1.61	● 1.61	● 1.61	● 1.59	● 1.59
18	PM	● 2.02		● 2.02	● 2.05				
19	PM	● 2.25	● 2.25	● 2.25	● 2.27	● 2.27	● 2.27	● 2.25	● 2.25
20	PM	● 2.49	● 2.49	● 2.49	● 2.51	● 2.51	● 2.51		● 2.49
22	PM	● 3.01	● 3.01	● 3.01	● 3.04	● 3.04	● 3.04	● 3.01	● 3.01
24	PM	● 3.59		● 3.59	● 3.59				
25	PM	● 3.89	● 3.89	● 3.89	● 3.92	● 3.92	● 3.92		● 3.89
26	PM	● 4.21		● 4.21	● 4.24			● 4.21	
28	PM	● 4.88	● 4.88	● 4.88	● 4.92	● 4.92	● 4.92	● 4.88	● 4.88
30	PM	● 5.60	● 5.60	● 5.60	● 5.64	● 5.64	● 5.64	● 5.60	● 5.60
32	PM	● 6.37	● 6.37	● 6.37	● 6.42	● 6.42	● 6.42	● 6.37	● 6.37
34	PM	● 7.20		● 7.20	● 7.25			● 7.20	
35	PM	● 7.63	● 7.63	● 7.63	● 7.68	● 7.68	● 7.68	● 7.63	● 7.63
36	PM	● 8.07	● 8.07	● 8.07	● 8.12	● 8.12	● 8.12		
38	PM	● 8.99	● 8.99	● 8.99	● 9.05	● 9.05	● 9.05	● 8.99	● 8.99
40	PM	● 10.0	● 10.0	● 10.0	● 10.1	● 10.1	● 10.1	● 10.0	● 10.0
42	PM	● 11.0	● 11.0	● 11.0	● 11.1	● 11.1	● 11.1	● 11.0	
44	PM	● 12.1			● 12.2				
45	PM	● 12.6	● 12.6	● 12.6	● 12.7	● 12.7	● 12.7	● 12.6	● 12.6
46	PM	● 13.2		● 13.2	● 13.3	● 13.3	● 13.3		
48	PM	● 14.3		● 14.3	● 14.5	● 14.5			
50	PM	● 15.6	● 15.6	● 15.6	● 15.7	● 15.7	● 15.7	● 15.6	● 15.6
55	PM	● 18.8	● 18.8	● 18.8	● 19.0	● 19.0	● 19.0	● 18.8	● 18.8
60	PM	● 22.4	● 22.4	● 22.4	● 22.6	● 22.6	● 22.6	● 22.4	● 22.4
65	PM	● 26.3	● 26.3	● 26.3	● 26.5	● 26.5	● 26.5	● 26.3	● 26.3
70	PM	● 30.5	● 30.5	● 30.5	● 30.7	● 30.7	● 30.7	● 30.5	● 30.5
75	PM	● 35.0	● 35.0	● 35.0	● 35.2	● 35.2	● 35.2	● 35.0	● 35.0
80	PM	● 39.8	● 39.8	● 39.8	● 40.1	● 40.1	● 40.1	● 39.8	● 39.8
85	PM	● 45.0	● 45.0	● 45.0	● 45.3	● 45.3	● 45.3		● 45.0
90	PM	● 50.4	● 50.4	● 50.4	● 50.7	● 50.7	● 50.7	● 50.4	● 50.4
95	PM	● 56.2	● 56.2	● 56.2	● 56.5	● 56.5	● 56.5		
100	PM	● 62.3	● 62.3	● 62.3	● 62.6	● 62.6	● 62.6	● 62.3	● 62.3
105	PM	● 68.6							

板 sheet P1-10
丸棒 Round Bar P11-14
センターレス Centerless P15
アングル Angle P16-17
チャンネル Channel P18
フラットバー Flat Bar P19-22
六角棒 Hexagon Bar P23
溶接管 Welding Pipe P24-30
シームレス管 Seamless Pipe P31-38
チタンの紹介 P39-46
板 Sheet P47
丸棒 Round Bar P48
溶接管 Welding Pipe P49
参考資料 ① P51-55
参考資料 ② P56-57
参考資料 ③ P58-62
参考資料 ④ P63-65
参考資料 ⑤ P66
参考資料 ⑥ P67
参考資料 ⑦ P68
参考資料 ⑧ P69-71

ステンレス丸棒 (JIS G4303)

○ 4000mm ● 6000mm ☆ 2000mmUP

径φ (mm)/ 鋼種	仕上	SUS304		SUS304L		SUS303		SUS316		SUS316L		SUS310S		SUS321		SUS304N2	
			kg/m		kg/m		kg/m		kg/m		kg/m		kg/m		kg/m		kg/m
110	PM	●	75.4	●	75.4	●	75.4	●	75.8	●	75.8	●	75.8	●	75.4	●	75.4
115	PM	●	82.4														
120	PM	●	89.7	●	89.7	●	89.7	●	90.3	●	90.3	●	90.3	●	89.7	●	89.7
125	PM	●	97.3														
130	PM	●	106	●	106	●	106	●	107	●	107	●	107	●	106	●	106
135	PM	●	114														
140	PM	●	123	●	123	●	123	●	124	●	124	●	124	●	123	●	123
145	PM	●	131														
150	PM	●	141	●	141	●	141	●	142	●	142	●	142	●	141	●	141
155	PM	●	150														
160	PM	●	160	●	160	●	160	●	161	●	161	●	161			●	160
170	PM	●	180			●	180	●	182	●	182	●	182			●	180
180	PM	●	202	●	202	●	202	●	205	●	205	●	205			●	202
190	PM	●	225			●	225	●	227	●	227					●	225
200	PM	●	250			●	250	●	251	●	251	●	251			●	250
210	TM	●	275			●	275	●	277	●	277					●	275
220	TM	●	302			●	302	●	304	●	304						
230	TM	●	330			●	330	●	332	●	332						
240	TM	●	359			●	359	●	361	●	364						
250	TM	●	390			●	390	●	392	●	395	●	395				
260	TM	●	421			●	421	●	424	●	427						
270	TM	●	454			●	454	●	457								
280	TM	●	489			●	489	●	492	●	495						
290	TM	●	524			●	524	●	527								
300	TM	☆	561			☆	561	☆	564	☆	568						
310	TM	☆	599														
320	TM	☆	638			☆	638	☆	642								
330	TM	☆	678														
340	TM	☆	720			☆	720										
350	TM	☆	763			☆	763	☆	768	☆	768+						
360	TM	☆	807														
370	TM		853			☆	853	☆	858								
380	TM	☆	899			☆	899										
400	TM	☆	997			☆	997	☆	1003	☆	1003						
420	TM	☆	1099			☆	1099	☆	1106	☆	1106						
450	TM	☆	1261			☆	1261	☆	1269	☆	1269						
480	TM	☆	1435			☆	1435	☆	1444	☆	1444						
500	TM	☆	1557			☆	1557	☆	1567	☆	1567						
530	TM	☆	1749														

ステンレス丸棒 (JIS G4303)

○ 4000mm ● 6000mm ☆ 2000mmUP

7.75

7.75

7.75

7.7

径φ (mm)/ 鋼種	仕上	329J1		329J4L		SUS630		SUS403		SUS420J2		SUS416		SUS440C	
			kg/m		kg/m		kg/m		kg/m		kg/m		kg/m		kg/m
8	SD							○	0.390	○	0.390			○	0.391
10	SD/PM					○	0.611	○	0.609	○	0.609			○	0.611
13	SD/PM	○	1.05			○	1.03	○	1.03	○	1.03			○	1.03
16	PM	●	1.59	●	1.59	●	1.58	●	1.56	●	1.56	●	1.56	●	1.56
19	PM	●	2.27			●	2.22	●	2.21	●	2.21			●	2.22
20	PM					●	2.46	●	2.45	●	2.45	●	2.45	●	2.46
22	PM	●	3.03			●	2.98	●	2.97	●	2.97	●	2.97	●	2.98
25	PM					●	3.84	●	3.83	●	3.83	●	3.83	●	3.84
26	PM	●	4.25			●	4.17	●	4.15	●	4.15	●	4.15	●	4.17
28	PM	●	4.93			●	4.83	●	4.82	●	4.82	●	4.82	●	4.83
30	PM			●	5.65	●	5.55	●	5.52	●	5.52	●	5.52	●	5.55
32	PM	●	6.43			●	6.31	●	6.28	●	6.28	●	6.28	●	6.31
36	PM	●	8.13			●	7.97	●	7.94	●	7.94	●	7.94	●	7.97
38	PM	●	9.06			●	8.88	●	8.85	●	8.85	●	8.85	●	8.88
40	PM	●	10.0			●	9.84	●	9.80	●	9.80	●	9.80	●	9.84
42	PM	●	11.1			●	10.8	●	10.8	●	10.8	●	10.8	●	10.8
45	PM					●	12.4	●	12.4	●	12.4			●	12.4
46	PM	●	13.3			●	13.0	●	13.0	●	13.0	●	13.0	●	13.0
50	PM	●	15.6	●	15.6	●	15.3	●	15.3	●	15.3	●	15.3	●	15.3
55	PM	●	18.9			●	18.6	●	18.5	●	18.5	●	18.5	●	18.6
60	PM	●	22.5			●	22.1	●	22.0	●	22.0	●	22.0	●	22.1
65	PM	●	26.4			●	25.9	●	25.8	●	25.8	●	25.8	●	25.9
70	PM	●	30.6			●	30.0	●	29.9	●	29.9	●	29.9	●	30.0
75	PM	●	35.2			●	34.5	●	34.4	●	34.4	●	34.4	●	34.5
80	PM	●	40.0	●	40.0	●	39.2	●	39.1	●	39.1	●	39.1	●	39.2
85	PM					●	44.4	●	44.2	●	44.2	●	44.2	●	44.4
90	PM	●	50.7			●	49.8	●	49.6	●	49.6	●	49.6	●	49.8
95	PM					●	55.4	●	55.2	●	55.2	●	55.2	●	55.4
100	PM	●	62.6	●	62.6	●	61.4	●	61.2	●	61.2	●	61.2	●	61.4

板 sheet P1-10
丸棒 Round Bar P11-14
センターレス Centerless P15
アングル Angle P16-17
チャンネル Channel P18
フラットバー Flat Bar P19-22
六角棒 Hexagon Bar P23
溶接管 Welding Pipe P24-30
シームレス管 Seamless Pipe P31-38
チタンの紹介 P39-46
板 Sheet P47
丸棒 Round Bar P48
溶接管 Welding Pipe P49
参考資料 ① P51-55
参考資料 ② P56-57
参考資料 ③ P58-62
参考資料 ④ P63-65
参考資料 ⑤ P66
参考資料 ⑥ P67
参考資料 ⑦ P68
参考資料 ⑧ P69-71

ステンレス丸棒
(JIS G4303)

○ 4000mm ● 6000mm ☆ 2000mmUP

径φ (mm)/ 鋼種	仕上	329J1		329J4L		SUS630		SUS403		SUS420J2		SUS416		SUS440C	
			kg/m		kg/m		kg/m		kg/m		kg/m		kg/m		kg/m
110	PM	●	75.7			●	74.3	●	74	●	74	●	74	●	74.3
115	PM														
120	PM	●	90.1	●	90.1	●	88.4	●	88	●	88	●	88	●	88.4
125	PM														
130	PM	●	106			●	104	●	104	●	104	●	104	●	104
135	PM														
140	PM					●	121	●	120	●	120	●	120	●	121
145	PM														
150	PM	●	141	●	141	●	138	●	138	●	138	●	138	●	138
155	PM														
160	PM					●	158	●	158	●	158			●	158
170	PM					●	179	●	178	●	178				
180	PM					●	200	●	199	●	199			●	200
190	PM					●	223	●	222	●	222			●	223
200	PM			●	252	●	247	●	246	●	246			●	247
210	TM							●	271	●	271				
220	TM							●	297	●	297				
230	TM							●	325	●	325				
240	TM							●	354	●	354				
250	TM					●	383	●	383	●	383				
260	TM														
270	TM							●	447	●	447				
280	TM														
290	TM														
300	TM							☆	551	☆	551				
310	TM														
320	TM							☆	627	☆	627				
330	TM														
340	TM														
350	TM							☆	750	☆	750				
360	TM														
370	TM							☆	837						
380	TM														
400	TM							☆	978						