

フラットバー

鋼種 SUS304 (肉厚 t2 ~ t5)

サイズ 厚さ×巾	長さ	kg/p	HOT		COLD	HL	ファイン
			熱間	スリット			
2×6	2m	0.190			●		
2×8	2m	0.254			●		
2×9	2m	0.286			●		
2×10	2m	0.318			●		
2×10	4m	0.636		●	●	●	
2×12	4m	0.760			●		
2×15	4m	0.952		●	●	●	
2×20	4m	1.27		●	●	●	
2×25	4m	1.58		●	●	●	
2×30	4m	1.90		●	●	●	
2×32	4m	2.03		●	●	●	
2×35	4m	2.22		●			
2×38	4m	2.41		●	●		
2×40	4m	2.54		●	●	●	
2×45	4m	2.86		●	●	●	
2×50	4m	3.17		●	●	●	
3×5	3m	0.357			●		
3×6	4m	0.572			●		
3×7	4m	0.668			●		
3×8	4m	0.760			●		
3×9	4m	0.856			●		
3×10	4m	0.952		●	●	●	
3×12	4m	1.14		●	●	●	
3×13	4m	1.24		●	●	●	
3×15	4m	1.43		●	●	●	●
3×16	4m	1.52		●	●	●	
3×19	4m	1.81		●	●	●	
3×20	4m	1.90		●	●	●	●
3×22	4m	2.09		●	●	●	
3×25	4m	2.38		●	●	●	●
3×30	4m	2.86		●	●	●	●
3×32	4m	3.04		●	●	●	●
3×35	4m	3.33		●	●	●	
3×38	4m	3.62		●	●	●	●
3×40	4m	3.81		●	●	●	●
3×42	4m	4.00			●	●	
3×45	4m	4.28		●	●	●	
3×48	4m	4.56			●	●	
3×50	4m	4.76		●	●	●	●
3×60	4m	5.72		●	●	●	●
3×65	4m	6.20		●	●	●	
3×75	4m	7.12		●	●	●	●
3×90	4m	8.56			●		
3×100	4m	9.52		●	●	●	●
3×110	4m	10.5			●		
3×120	4m	11.4			●		
3×125	4m	11.9			●		
3×130	4m	12.4			●		
3×140	4m	13.3			●		
3×150	4m	14.3			●		

サイズ 厚さ×巾	長さ	kg/p	HOT		COLD	HL	ファイン
			熱間	スリット			
4×9	4m	1.14			●		
4×10	4m	1.27			●	●	
4×11	4m	1.40		●	●	●	
4×12	4m	1.52			●		
4×13	4m	1.65		●	●	●	
4×15	4m	1.90	●	●	●	●	●
4×16	4m	2.03	●	●	●	●	
4×17	4m	2.16			●		
4×19	4m	2.41	●	●	●	●	
4×20	4m	2.54	●	●	●	●	●
4×22	4m	2.79	●	●	●	●	
4×25	4m	3.17	●	●	●	●	●
4×30	4m	3.81	●	●	●	●	●
4×32	4m	4.08	●	●	●	●	●
4×35	4m	4.44	●	●	●	●	
4×38	4m	4.84	●	●	●	●	●
4×40	4m	5.08	●	●	●	●	●
4×45	4m	5.72	●	●	●	●	
4×50	4m	6.36	●	●	●	●	●
4×60	4m	7.60	●	●	●	●	●
4×65	4m	8.24	●	●	●	●	
4×75	4m	9.52	●	●	●	●	●
4×90	4m	11.4			●	●	
4×100	4m	12.7		●	●	●	●
5×8	4m	1.27			●		
5×9	4m	1.43			●		
5×10	4m	1.59			●	●	
5×12	4m	1.90			●	●	
5×13	4m	2.06			●	●	
5×15	4m	2.38	●	●	●	●	●
5×16	4m	2.54			●	●	
5×19	4m	3.01	●	●	●	●	
5×20	4m	3.17	●	●	●	●	●
5×22	4m	3.49	●	●	●	●	
5×25	4m	3.96	●	●	●	●	●
5×30	4m	4.76	●	●	●	●	●
5×32	4m	5.08	●	●	●	●	●
5×34	4m	5.40			●	●	
5×35	4m	5.56	●	●	●	●	
5×38	4m	6.04	●	●	●	●	●
5×40	4m	6.36	●	●	●	●	●
5×45	4m	7.12	●	●			
5×50	4m	7.92	●	●	●	●	●
5×60	4m	9.52	●	●	●	●	●
5×65	4m	10.3	●	●	●	●	●
5×75	4m	11.9	●	●	●	●	●
5×90	4m	14.3	●	●	●	●	
5×100	4m	15.8	●	●	●	●	●
5×130	4m	20.6			●		
5×150	4m	23.8			●		

板 sheet P1-10
丸棒 Round Bar P11-14
センターレス Centerless P15
アングル Angle P16-17
チャンネル Channel P18
フラットバー Flat Bar P19-22
六角棒 Hexagon Bar P23
溶接管 Welding Pipe P24-30
シームレス管 Seamless Pipe P31-38
チタンの紹介 P39-46
板 Sheet P47
丸棒 Round Bar P48
溶接管 Welding Pipe P49
参考資料 ① P51-55
参考資料 ② P56-57
参考資料 ③ P58-62
参考資料 ④ P63-65
参考資料 ⑤ P66
参考資料 ⑥ P67
参考資料 ⑦ P68
参考資料 ⑧ P69-71

フラットバー

鋼種 SUS304 (肉厚 t 6 ~ t 9)

サイズ 厚さ x 巾	長さ	kg/p	HOT		COLD	HL	ファイン
			熱間	スリット			
6 × 9	4m	1.71			●		
6 × 10	4m	1.90			●	●	
6 × 12	4m	2.28			●	●	
6 × 13	4m	2.48			●	●	
6 × 15	4m	2.86	●	●	●	●	●
6 × 16	4m	3.04			●	●	
6 × 18	4m	3.42			●	●	
6 × 19	4m	3.62	●	●	●	●	
6 × 20	4m	3.81	●	●	●	●	●
6 × 22	4m	4.20	●	●	●	●	
6 × 25	4m	4.76	●	●	●	●	●
6 × 25	5m	5.95	●				
6 × 25	6m	7.14	●				
6 × 30	4m	5.72	●	●	●	●	●
6 × 30	5m	7.15	●				
6 × 30	6m	8.58	●			●	
6 × 32	4m	6.08	●	●	●	●	●
6 × 32	5m	7.6	●				
6 × 32	6m	9.12	●				
6 × 35	4m	6.68	●	●	●	●	
6 × 38	4m	7.24	●	●	●	●	●
6 × 38	5m	9.05	●				
6 × 38	6m	10.9	●	●		●	
6 × 40	4m	7.60	●	●	●	●	●
6 × 40	5m	9.5	●				
6 × 40	6m	11.4	●			●	
6 × 42	4m	8.00			●	●	
6 × 45	4m	8.56	●	●	●	●	●
6 × 48	4m	9.12	●	●	●	●	
6 × 50	4m	9.52	●	●	●	●	●
6 × 50	5m	11.9	●				
6 × 50	6m	14.3	●	●		●	
6 × 60	4m	11.4	●	●	●	●	●
6 × 65	4m	12.4	●	●	●	●	●
6 × 65	5m	15.4	●				
6 × 65	6m	18.5	●	●		●	
6 × 70	4m	13.3	●	●	●	●	
6 × 75	4m	14.3	●	●	●	●	●
6 × 75	5m	17.8	●				
6 × 75	6m	21.4	●	●		●	
6 × 90	4m	17.1	●	●	●	●	
6 × 100	4m	19.0	●	●	●	●	●
6 × 100	5m	23.8	●				
6 × 100	6m	28.6	●	●		●	
6 × 110	4m	20.9		●	●	●	
6 × 120	4m	22.8		●	●	●	
6 × 125	4m	23.8		●	●	●	
6 × 130	4m	24.8		●	●	●	
6 × 140	4m	26.6		●	●	●	
6 × 150	4m	28.6		●	●	●	

サイズ 厚さ x 巾	長さ	kg/p	HOT		COLD	HL	ファイン
			熱間	スリット			
7x 20	4m	4.44	●				
8 × 10	4m	2.54			●	●	
8 × 16	4m	4.08	●		●	●	
8 × 25	4m	6.36	●				
8 × 30	4m	7.60	●				
8 × 32	4m	8.12	●		●	●	●
8 × 35	4m	8.88	●				
8 × 38	4m	9.64	●		●	●	
8 × 40	4m	10.2	●				
8 × 45	4m	11.4	●				
8 × 50	4m	12.7	●		●	●	
8 × 65	4m	16.5	●				
8 × 75	4m	19.0	●				
8 × 100	4m	25.4	●				
9 × 13	4m	3.71	●		●	●	
9 × 15	4m	4.28	●		●	●	●
9 × 16	4m	4.56	●		●	●	
9 × 19	4m	5.44	●		●	●	
9 × 20	4m	5.72	●	●	●	●	●
9 × 22	4m	6.28	●	●	●	●	
9 × 25	4m	7.12	●	●	●	●	●
9 × 25	6m	10.7			●		
9 × 30	4m	8.56	●	●	●	●	●
9 × 30	6m	12.8			●		
9 × 32	4m	9.12	●	●	●	●	●
9 × 32	5m	11.4	●				
9 × 32	6m	13.7	●		●		
9 × 35	4m	10.0	●		●	●	
9 × 38	4m	10.8	●	●	●	●	●
9 × 38	5m	13.6	●				
9 × 38	6m	16.3	●		●		
9 × 40	4m	11.4	●	●	●	●	●
9 × 40	5m	14.2	●				
9 × 40	6m	17.1	●		●		
9 × 45	4m	12.8	●	●	●		
9 × 50	4m	14.3	●	●	●	●	●
9 × 50	5m	17.8	●				
9 × 50	6m	21.4	●	●	●		
9 × 55	4m	15.7	●				
9 × 60	4m	17.1	●	●	●	●	●
9 × 65	4m	18.6	●	●	●	●	●
9 × 65	5m	23.2	●				
9 × 65	6m	27.8	●	●	●		
9 × 75	4m	21.4	●	●	●	●	●
9 × 75	5m	26.8	●				
9 × 75	6m	32.1	●	●	●		
9 × 90	4m	25.7	●	●	●	●	
9 × 90	5m	32.1	●				
9 × 90	6m	38.5	●				
9 × 100	4m	28.6	●	●	●	●	●
9 × 100	5m	35.7	●				

フラットバー

鋼種 SUS304 (肉厚 t9 ~ t16)

サイズ 厚さ×巾	長さ	kg/p	HOT		COLD	HL	ファイン
			熱間	スリット			
9×100	6m	42.8	●	●	●		
9×125	4m	35.7	●		●	●	
9×125	5m	44.6	●				
9×125	6m	53.5	●				
9×150	4m	42.8	●		●	●	
9×150	5m	53.5	●				
9×150	6m	64.2	●				
9×200	4m	57.2	●		●	●	
9×250	4m	71.2	●		●	●	
9×300	4m	85.6	●		●		
10×15	4m	4.76	●		●	●	●
10×19	4m	6.04	●		●	●	
10×20	4m	6.36	●		●	●	●
10×25	4m	7.92	●		●	●	●
10×30	4m	9.52	●		●	●	●
10×32	4m	10.2	●		●	●	●
10×35	4m	11.1	●				
10×38	4m	12.0	●		●	●	●
10×40	4m	12.7	●		●	●	●
10×45	4m	14.3	●				
10×50	4m	15.8	●		●	●	●
10×50	5m	19.8	●				
10×50	6m	23.8	●		●		
10×60	4m	19.0	●				
10×65	4m	20.6	●		●	●	●
10×65	6m	30.9	●		●		
10×75	4m	23.8	●		●	●	
10×75	6m	35.7			●		
10×100	4m	31.7	●		●	●	●
10×100	5m	39.6	●				
10×100	6m	47.6	●		●		
10×125	4m	39.6	●		●	●	
10×150	4m	47.6	●		●	●	
10×200	4m	63.6	●		●	●	
10×250	4m	79.2	●		●	●	
10×300	4m	95.2	●				
12×14	4m	5.32			●		
12×15	4m	5.72	●				
12×16	4m	6.08			●	●	
12×19	4m	7.24	●		●	●	
12×20	4m	7.60	●		●	●	●
12×25	4m	9.52	●		●	●	●
12×25	6m	14.3			●		
12×30	4m	11.4	●		●	●	●
12×30	6m	17.1			●		
12×32	4m	12.2	●		●	●	●
12×32	6m	18.3			●		
12×35	4m	13.3	●		●		
12×38	4m	14.5	●		●	●	●
12×38	5m	18.1	●				
12×38	6m	21.7	●		●		

サイズ 厚さ×巾	長さ	kg/p	HOT		COLD	HL	ファイン
			熱間	スリット			
12×40	4m	15.2	●		●	●	●
12×40	6m	22.9			●		
12×45	4m	17.1	●				
12×50	4m	19.0	●		●	●	●
12×50	5m	23.8	●				
12×50	6m	28.6	●		●		
12×65	4m	24.8	●		●	●	●
12×65	5m	31.0	●				
12×65	6m	37.1	●		●		
12×70	4m	26.6	●				
12×75	4m	28.6	●		●	●	●
12×75	5m	35.7	●				
12×75	6m	42.8	●		●		
12×90	4m	34.2	●		●	●	
12×100	4m	38.1	●		●	●	●
12×100	5m	47.6	●				
12×100	6m	57.1	●		●		
12×125	4m	47.6	●		●	●	
12×125	5m	59.5	●				
12×125	6m	71.4	●				
12×150	4m	57.2	●		●	●	
12×150	5m	71.5	●				
12×150	6m	85.8	●				
12×200	4m	76.0	●		●	●	
12×250	4m	95.2	●		●	●	
12×300	4m	114.0	●		●		
16×19	4m	9.64			●	●	
16×20	4m	10.2	●		●	●	●
16×25	4m	12.7	●		●	●	●
16×30	4m	15.2	●				
16×32	4m	16.2	●		●	●	●
16×35	4m	17.8	●				
16×38	4m	19.3	●		●	●	●
16×40	4m	20.3	●		●	●	●
16×45	4m	22.8	●				
16×50	4m	25.4	●		●	●	●
16×50	5m	31.7	●				
16×50	6m	38.0	●		●		
16×65	4m	33.0	●		●	●	
16×65	5m	41.2	●				
16×65	6m	49.5	●		●		
16×75	4m	38.1	●		●	●	
16×75	5m	47.6	●				
16×75	6m	57.1	●		●		
16×90	4m	45.6	●				
16×100	4m	50.8	●		●	●	
16×100	5m	63.5	●				
16×100	6m	76.2	●		●		
16×125	4m	63.6	●		●	●	
16×125	5m	79.5	●				
16×125	6m	95.4	●				

板 sheet P1-10
丸棒 Round Bar P11-14
センターレス Centerless P15
アングル Angle P16-17
チャンネル Channel P18
フラットバー Flat Bar P19-22
六角棒 Hexagon Bar P23
溶接管 Welding Pipe P24-30
シームレス管 Seamless Pipe P31-38
チタンの紹介 P39-46
板 Sheet P47
丸棒 Round Bar P48
溶接管 Welding Pipe P49
参考資料 ① P51-55
参考資料 ② P56-57
参考資料 ③ P58-62
参考資料 ④ P63-65
参考資料 ⑤ P66
参考資料 ⑥ P67
参考資料 ⑦ P68
参考資料 ⑧ P69-71

フラットバー

鋼種 SUS304 (肉厚 t 16 ~ t 100)

サイズ 厚さ x 巾	長さ	kg/p	HOT		COLD	HL	フィン
			熱間	スリット			
16x150	4m	76.0	●		●	●	
16x150	5m	95.0	●				
16x150	6m	114.0	●				
16x200	4m	102.0	●		●	●	
16x250	4m	127.0	●		●	●	
16x300	4m	152.0	●		●		
19x25	4m	15.1	●		●	●	●
19x30	4m	18.1	●				
19x32	4m	19.3	●		●	●	●
19x35	4m	21.1	●				
19x38	4m	22.9	●		●	●	●
19x40	4m	24.1	●				
19x45	4m	27.1	●				
19x50	4m	30.1	●		●	●	●
19x50	5m	37.6	●				
19x50	6m	45.2	●				
19x55	4m	33.1	●				
19x65	4m	39.2	●		●	●	
19x65	5m	48.9	●				
19x65	6m	58.7	●				
19x75	4m	45.2	●		●	●	
19x90	4m	54.4	●				
19x100	4m	60.4	●		●	●	
19x100	5m	75.5	●				
19x100	6m	90.6	●				
19x125	4m	75.2	●		●	●	
19x150	4m	90.4	●		●	●	
19x200	4m	120.0	●		●	●	
19x250	4m	151.0	●		●	●	
19x300	4m	181.0	●		●		
20x70	4m	44.4	●				
22x25	4m	17.4	●				
22x30	4m	20.9	●				
22x32	4m	22.3	●		●		
22x35	4m	24.4	●				
22x38	4m	26.5	●		●		
22x40	4m	27.9	●				
22x45	4m	31.4	●				
22x50	4m	34.9	●		●		
22x65	4m	45.2	●		●		
22x70	4m	48.8	●				
22x75	4m	52.4	●		●		
22x90	4m	62.8	●				
22x100	4m	69.6	●		●		
22x125	4m	87.2	●				
22x150	4m	105.0	●				
22x200	4m	140.0	●				
22x250	4m	174.0	●				
22x300	4m	209.0	●				
25x32	4m	25.4	●		●		
25x38	4m	30.1	●		●		
25x40	4m	31.7	●				
25x45	4m	35.7	●				

サイズ 厚さ x 巾	長さ	kg/p	HOT		COLD	HL	フィン
			熱間	スリット			
25x50	4m	39.6	●		●		
25x60	4m	47.6	●				
25x65	4m	51.6	●		●		
25x75	4m	59.6	●		●		
25x100	4m	79.2	●		●		
25x125	4m	99.2	●		●		
25x150	4m	119.0	●		●		
25x200	4m	158.0	●		●		
25x250	4m	198.0	●				
25x300	4m	238.0	●				
30x50	4m	47.6	●		●		
30x55	4m	52.4	●		●		
30x65	4m	62.0	●		●		
30x75	4m	71.2	●		●		
30x100	4m	95.2	●		●		
30x125	4m	119.0	●				
30x150	4m	143.0	●				
30x200	4m	190.0	●				
30x250	4m	238.0	●				
30x300	4m	286.0	●				
35x50	4m	55.6	●		●		
35x65	4m	72.0	●		●		
35x75	4m	83.2	●		●		
35x100	4m	111.0	●		●		
35x125	4m	139.0	●				
35x150	4m	166.0	●				
40x50	4m	63.6	●				
40x65	4m	82.4	●				
40x75	4m	95.2	●				
40x100	4m	127.0	●				
40x125	4m	158.0	●				
40x150	4m	190.0	●				
50x65	4m	103.0	●				
50x75	4m	119.0	●				
50x100	4m	158.0	●				
50x125	4m	198.0	●				
50x150	4m	238.0	●				
60x75	4m	143.0	●				
60x100	4m	190.0	●				
60x125	4m	238.0	●				
60x150	4m	286.0	●				
65x75	4m	155.0	●				
70x100	4m	222.0	●				
70x125	4m	278.0	●				
70x150	4m	333.0	●				
80x100	4m	254.0	●				
80x125	4m	317.0	●				
80x150	4m	381.0	●				
90x125	4m	357.0	●				
90x150	4m	428.0	●				
100x125	4m	396.0	●				
100x150	4m	476.0	●				