

SUS304 ステンレスシームレス (JIS G3459) 厚み 2mm ~ 12mm

径φ (mm)	厚さ	長さ (mm)	質量 (kg/m)	仕上げ
2	x 0.5	x 2000	0.0187	C
2.5	x 0.5	x 2000	0.0249	C
3	x 0.5	x 2000	0.0311	C
3	x 0.5	x 4000		
3	x 1	x 2000	0.0498	C
3	x 1	x 4000		
4	x 0.5	x 2000	0.0436	C
4	x 0.5	x 4000		
4	x 1	x 2000	0.0747	C
4	x 1	x 4000		
4	x 1.5	x 4000	0.0934	C
5	x 0.5	x 2000	0.056	C
5	x 0.5	x 4000		
5	x 0.8	x 4000	0.0837	C
5	x 1	x 2000	0.0996	C
5	x 1	x 4000		
5	x 1.2	x 4000	0.114	C
5	x 1.5	x 4000	0.131	C
6	x 0.5	x 2000	0.0685	C
6	x 0.5	x 4000		
6	x 0.8	x 2000	0.104	C
6	x 0.8	x 4000		
6	x 1	x 4000	0.125	C
6	x 1.2	x 4000	0.143	C
6	x 1.5	x 4000	0.168	C
6	x 2	x 4000	0.199	C
6.35	x 0.5	x 2000	0.0729	C
6.35	x 0.5	x 4000		
6.35	x 0.8	x 2000	0.111	C
6.35	x 0.8	x 4000		
6.35	x 1	x 2000	0.133	C
6.35	x 1	x 4000		
6.35	x 1.25	x 4000	0.159	C
6.35	x 1.5	x 4000	0.181	C
6.35	x 1.65	x 4000	0.193	C
6.35	x 2	x 4000	0.217	C
7	x 0.5	x 2000	0.081	C
7	x 0.5	x 4000		
7	x 0.8	x 4000	0.124	C
7	x 1	x 4000	0.149	C
7	x 1.5	x 4000	0.206	C
7	x 2	x 4000	0.249	C
8	x 0.5	x 2000	0.0934	C
8	x 0.5	x 4000		

径φ (mm)	厚さ	長さ (mm)	質量 (kg/m)	仕上げ
8	x 0.8	x 2000	0.143	C
8	x 0.8	x 4000		
8	x 1	x 4000	0.174	C
8	x 1.2	x 4000	0.203	C
8	x 1.5	x 4000	0.243	C
8	x 2	x 4000	0.299	C
8	x 2.5	x 4000	0.343	C
9	x 0.5	x 2000	0.106	C
9	x 0.5	x 4000		
9	x 1	x 4000	0.199	C
9	x 1.5	x 4000	0.28	C
9	x 2	x 4000	0.349	C
9.53	x 1	x 4000	0.212	C
9.53	x 1.25	x 4000	0.258	C
9.53	x 1.5	x 4000	0.3	C
9.53	x 1.65	x 4000	0.324	C
9.53	x 2	x 4000	0.375	C
10	x 0.5	x 2000	0.118	C
10	x 0.5	x 4000		
10	x 0.8	x 4000	0.183	C
10	x 1	x 4000	0.224	C
10	x 1.2	x 4000	0.263	C
10	x 1.5	x 4000	0.318	C
10	x 2	x 4000	0.399	C
10	x 2.5	x 4000	0.467	C
10	x 3	x 4000	0.523	C
10.5	x 1	x 4000	0.237	C
10.5	x 1.2	x 4000	0.278	C
10.5	x 1.2	x 5500		
10.5	x 1.5	x 4000	0.336	C
10.5	x 1.5	x 5500		
10.5	x 1.7	x 4000	0.373	C
10.5	x 1.7	x 5500		
10.5	x 2.4	x 4000	0.484	C
10.5	x 2.4	x 5500		
11	x 0.5	x 4000	0.131	C
11	x 1	x 4000	0.249	C
11	x 1.5	x 4000	0.355	C
11	x 2	x 4000	0.448	C
11	x 3	x 4000	0.598	C
12	x 0.5	x 2000	0.143	C
12	x 0.5	x 4000		
12	x 0.8	x 2000	0.223	C
12	x 0.8	x 4000		

板 sheet P1-10
丸棒 Round Bar P11-14
センターレス Centerless P15
アングル Angle P16-17
チャンネル Channel P18
フラットバー Flat Bar P19-22
六角棒 Hexagon Bar P23
溶接管 Welding Pipe P24-30
シームレス管 Seamless Pipe P31-38
チタンの紹介 P39-46
板 Sheet P47
丸棒 Round Bar P48
溶接管 Welding Pipe P49
参考資料 ① P51-55
参考資料 ② P56-57
参考資料 ③ P58-62
参考資料 ④ P63-65
参考資料 ⑤ P66
参考資料 ⑥ P67
参考資料 ⑦ P68
参考資料 ⑧ P69-71

SUS304 ステンレスシームレス (JIS G3459) 厚み 12mm ~ 20mm

径φ (mm)	厚さ		長さ (mm)		質量 (kg/m)	仕上げ
12	x	1	x	4000	0.274	C
12	x	1.2	x	4000	0.323	C
12	x	1.5	x	4000	0.392	C
12	x	2	x	4000	0.498	C
12	x	2.5	x	4000	0.592	C
12	x	3	x	4000	0.673	C
12.7	x	1	x	4000	0.291	C
12.7	x	1.2	x	4000	0.344	C
12.7	x	1.5	x	4000	0.418	C
12.7	x	1.65	x	4000	0.454	C
12.7	x	2	x	4000	0.533	C
13	x	0.5	x	2000	0.156	C
13	x	0.5	x	4000		
13	x	1	x	4000	0.299	C
13	x	1.2	x	4000	0.353	C
13	x	1.5	x	4000	0.43	C
13	x	2	x	4000	0.548	C
13	x	2.5	x	4000	0.654	C
13	x	3	x	4000	0.747	C
13.8	x	1.2	x	4000	0.377	C
13.8	x	1.2	x	5500		
13.8	x	1.65	x	4000	0.499	C
13.8	x	1.65	x	5500		
13.8	x	2	x	4000	0.588	C
13.8	x	2	x	5500		
13.8	x	2.2	x	4000	0.636	C
13.8	x	2.2	x	5500		
13.8	x	3	x	4000	0.807	C
13.8	x	3	x	5500		
14	x	0.5	x	4000	0.168	C
14	x	1	x	4000	0.324	C
14	x	1.2	x	4000	0.383	C
14	x	1.5	x	4000	0.467	C
14	x	2	x	4000	0.598	C
14	x	2.5	x	4000	0.716	C
14	x	3	x	4000	0.822	C
15	x	0.5	x	4000	0.181	C
15	x	1	x	4000	0.349	C
15	x	1.2	x	4000	0.413	C
15	x	1.5	x	4000	0.504	C
15	x	2	x	4000	0.648	C
15	x	2.5	x	4000	0.778	C
15	x	3	x	4000	0.897	C
15.88	x	1	x	4000	0.371	C

径φ (mm)	厚さ		長さ (mm)		質量 (kg/m)	仕上げ
16	x	0.5	x	2000	0.193	C
16	x	0.5	x	4000		
16	x	0.8	x	4000	0.303	C
16	x	1	x	4000	0.374	C
16	x	1.2	x	4000	0.442	C
16	x	1.5	x	4000	0.542	C
16	x	2	x	4000	0.697	C
16	x	2.5	x	4000	0.841	C
16	x	3	x	4000	0.971	C
17	x	0.5	x	4000	0.206	C
17	x	1	x	4000	0.399	C
17	x	1.5	x	4000	0.579	C
17	x	2	x	4000	0.747	C
17	x	3	x	4000	1.05	C
17.3	x	1.2	x	4000	0.481	C
17.3	x	1.2	x	5500		
17.3	x	1.65	x	4000	0.643	C
17.3	x	1.65	x	5500		
17.3	x	2	x	4000	0.762	C
17.3	x	2	x	5500		
17.3	x	2.3	x	4000	0.859	C
17.3	x	2.3	x	5500		
17.3	x	3.2	x	4000	1.12	C
17.3	x	3.2	x	5500		
18	x	0.5	x	2000	0.218	C
18	x	0.5	x	4000		
18	x	1	x	4000	0.423	C
18	x	1.2	x	4000	0.502	C
18	x	1.5	x	4000	0.617	C
18	x	2	x	4000	0.797	C
18	x	2.5	x	4000	0.965	C
18	x	3	x	4000	1.12	C
19	x	0.5	x	4000	0.23	C
19	x	1	x	4000	0.448	C
19	x	1.2	x	4000	0.532	C
19	x	1.5	x	4000	0.654	C
19	x	2	x	4000	0.847	C
19	x	2.5	x	4000	1.03	C
19	x	3	x	4000	1.2	C
20	x	0.5	x	4000	0.243	C
20	x	1	x	4000	0.473	C
20	x	1.5	x	4000	0.691	C
20	x	2	x	4000	0.897	C
20	x	2.5	x	4000	1.09	C

SUS304 ステンレスシームレス (JIS G3459) 厚み 20mm ~ 32mm

径φ (mm)	厚さ	長さ (mm)	質量 (kg/m)	仕上げ
20	x 3	x 4000	1.27	C
20	x 4	x 4000	1.59	C
21.7	x 1.65	x 4000	0.824	C
21.7	x 1.65	x 5500		
21.7	x 1.65	x 8000		
21.7	x 2.1	x 4000	1.03	C
21.7	x 2.1	x 5500		
21.7	x 2.5	x 4000	1.2	C
21.7	x 2.5	x 5500		
21.7	x 2.8	x 4000	1.32	C
21.7	x 2.8	x 5500		
21.7	x 3.7	x 4000	1.66	C
21.7	x 3.7	x 5500		
21.7	x 4.7	x 4000	1.99	C
21.7	x 4.7	x 5500		
21.7	x 7.5	x 4000	2.65	C
21.7	x 7.5	x 5500		
22	x 1	x 4000	0.523	C
22	x 1.5	x 4000	0.766	C
22	x 2	x 4000	0.996	C
22	x 2.5	x 4000	1.21	C
22	x 3	x 4000	1.42	C
22	x 4	x 4000	1.79	C
23	x 1	x 4000	0.548	C
23	x 1.5	x 4000	0.803	C
23	x 2	x 4000	1.05	C
23	x 3	x 4000	1.49	C
23	x 4	x 4000	1.89	C
24	x 1	x 4000	0.573	C
24	x 2	x 4000	1.1	C
24	x 3	x 4000	1.57	C
24	x 4	x 4000	1.99	C
25	x 1	x 4000	0.598	C
25	x 1.2	x 4000	0.711	C
25	x 1.5	x 4000	0.878	C
25	x 2	x 4000	1.15	C
25	x 2.5	x 4000	1.4	C
25	x 3	x 4000	1.64	C
25	x 4	x 4000	2.09	C
25	x 5	x 4000	2.49	C
25.4	x 1.2	x 4000	0.723	C
25.4	x 1.5	x 4000	0.893	C
25.4	x 2	x 4000	1.17	C
25.4	x 3	x 4000	1.67	C

径φ (mm)	厚さ	長さ (mm)	質量 (kg/m)	仕上げ
26	x 1	x 4000	0.623	C
26	x 1.5	x 4000	0.915	C
26	x 2	x 4000	1.2	C
26	x 2.5	x 4000	1.46	C
26	x 3	x 4000	1.72	C
26	x 4	x 4000	2.19	C
27.2	x 1.65	x 4000	1.05	C
27.2	x 1.65	x 5500		
27.2	x 1.65	x 8000		
27.2	x 2.1	x 4000	1.31	C
27.2	x 2.1	x 5500		
27.2	x 2.5	x 4000	1.54	C
27.2	x 2.5	x 5500		
27.2	x 2.9	x 4000	1.76	C
27.2	x 2.9	x 5500		
27.2	x 2.9	x 8000		
27.2	x 3.9	x 4000	2.26	C
27.2	x 3.9	x 5500		
27.2	x 3.9	x 8000		
27.2	x 5.5	x 4000	2.97	C
27.2	x 5.5	x 5500		
27.2	x 7.8	x 4000	3.77	C
27.2	x 7.8	x 5500		
27.2	x 7.8	x 8000		
28	x 1	x 4000	0.673	C
28	x 1.5	x 4000	0.99	C
28	x 2	x 4000	1.3	C
28	x 2.5	x 4000	1.59	C
28	x 3	x 4000	1.87	C
28	x 3.5	x 4000	2.14	C
28	x 4	x 4000	2.39	C
28	x 5	x 4000	2.86	C
28	x 6	x 4000	3.29	C
30	x 1	x 4000	0.722	C
30	x 1.5	x 4000	1.06	C
30	x 2	x 4000	1.39	C
30	x 2.5	x 4000	1.71	C
30	x 3	x 4000	2.02	C
30	x 5	x 4000	3.11	C
32	x 1	x 4000	0.772	C
32	x 1.2	x 4000	0.921	C
32	x 1.5	x 4000	1.14	C
32	x 2	x 4000	1.49	C
32	x 3	x 4000	2.17	C

板 sheet P1-10
丸棒 Round Bar P11-14
センターレス Centerless P15
アングル Angle P16-17
チャンネル Channel P18
フラットバー Flat Bar P19-22
六角棒 Hexagon Bar P23
溶接管 Welding Pipe P24-30
シームレス管 Seamless Pipe P31-38
チタンの紹介 P39-46
板 Sheet P47
丸棒 Round Bar P48
溶接管 Welding Pipe P49
参考資料 ① P51-55
参考資料 ② P56-57
参考資料 ③ P58-62
参考資料 ④ P63-65
参考資料 ⑤ P66
参考資料 ⑥ P67
参考資料 ⑦ P68
参考資料 ⑧ P69-71

SUS304 ステンレスシームレス (JIS G3459) 厚み 32mm ~ 50.8mm

径φ (mm)	厚さ		長さ (mm)	質量 (kg/m)	仕上げ
32	x	3.5	x 4000	2.48	C
32	x	4	x 4000	2.79	C
34	x	1.65	x 4000	1.33	C
34	x	1.65	x 5500		
34	x	2	x 4000	1.59	C
34	x	2.8	x 4000	2.18	C
34	x	2.8	x 5500		
34	x	2.8	x 8000		
34	x	3	x 4000	2.32	C
34	x	3	x 5500		
34	x	3	x 8000		
34	x	3.4	x 4000	2.59	C
34	x	3.4	x 5500		
34	x	3.4	x 8000	3.31	C
34	x	4.5	x 4000		
34	x	4.5	x 5500		
34	x	4.5	x 8000	4.4	C
34	x	6.4	x 4000		
34	x	6.4	x 5500		
34	x	9.1	x 4000	5.64	C
34	x	9.1	x 5500		
34	x	9.1	x 8000		
35	x	2.5	x 4000	2.02	C
36	x	2	x 4000	1.69	C
36	x	3	x 4000	2.47	H
36	x	4	x 4000	3.19	H
36	x	5	x 4000	3.86	H
36	x	8	x 4000	5.58	H
36	x	9	x 4000up	6.05	H
38	x	1.2	x 4000	1.1	C
38	x	1.5	x 4000	1.36	C
38	x	2	x 4000	1.79	C
38	x	3	x 4000	2.62	H/C
38	x	4	x 4000	3.39	H
38	x	5	x 4000	4.11	H
38	x	6	x 4000	4.78	H
38	x	6	x 8000		
38	x	9	x 4000up	6.5	H
38.1	x	5.5	x 4000	4.47	H
40	x	1.5	x 4000	1.44	C
40	x	2	x 4000	1.89	C
40	x	3	x 4000	2.77	H
40	x	4	x 4000	3.59	H
40	x	5	x 4000	4.36	H

径φ (mm)	厚さ		長さ (mm)	質量 (kg/m)	仕上げ
40	x	6	x 4000	5.08	H
40	x	8	x 4000	6.38	H
40	x	10	x 4000up	7.47	H
42.7	x	1.65	x 4000	1.69	C
42.7	x	1.65	x 5500		
42.7	x	2.8	x 4000	2.78	H/C
42.7	x	2.8	x 5500		
42.7	x	3	x 4000	2.97	H/C
42.7	x	3	x 5500		
42.7	x	3.6	x 4000	3.51	H/C
42.7	x	3.6	x 5500		
42.7	x	4.9	x 4000	4.61	H
42.7	x	4.9	x 5500		
42.7	x	4.9	x 8000		
42.7	x	6.4	x 4000	5.79	H
42.7	x	6.4	x 5500		
42.7	x	9.7	x 4000	7.97	H
42.7	x	9.7	x 5500		
45	x	3	x 4000	3.14	H
45	x	5	x 4000up	4.98	H
45	x	8	x 4000up	7.37	H
45	x	10	x 4000up	8.72	H
46	x	10	x 4000up	8.97	H
48.6	x	1.65	x 4000	1.93	C
48.6	x	1.65	x 5500		
48.6	x	2.8	x 4000	3.19	H/C
48.6	x	2.8	x 5500		
48.6	x	2.8	x 8000		H
48.6	x	3	x 4000	3.41	H/C
48.6	x	3	x 5500		
48.6	x	3.7	x 4000	4.14	H/C
48.6	x	3.7	x 5500		
48.6	x	5.1	x 4000	5.53	H/C
48.6	x	5.1	x 5500		
48.6	x	7.1	x 4000	7.34	H
48.6	x	7.1	x 5500		
48.6	x	10.2	x 4000	9.76	H
50	x	7	x 4000up	7.5	H
50	x	10	x 4000up	9.96	H
50	x	12.5	x 4000up	11.7	H
50.8	x	1.5	x 4000	1.84	C
50.8	x	2	x 4000	2.43	C
50.8	x	3	x 4000	3.57	H
50.8	x	4	x 4000	4.66	H

SUS304 ステンレスシームレス (JIS G3459) 厚み 50.8mm ~ 76.3mm

径φ (mm)	厚さ	長さ (mm)	質量 (kg/m)	仕上げ
50.8	x 4.5	x 4000	5.19	H
50.8	x 5	x 4000	5.7	H
50.8	x 6.5	x 4000up	7.17	H
50.8	x 8	x 4000up	8.53	H
50.8	x 14	x 4000up	12.8	H
50.8	x 14.5	x 4000up	13.1	H
51	x 13	x 4000up	12.3	H
52	x 6	x 4000up	6.88	H
52	x 7.5	x 4000up	8.31	H
52	x 9	x 4000up	9.64	H
52	x 10	x 4000up	10.5	H
53	x 8.5	x 4000up	9.42	H
53	x 13.5	x 4000up	13.3	H
54	x 4	x 4000up	4.98	H
54	x 9	x 4000up	10.1	H
55	x 5	x 4000up	6.23	H
55	x 8	x 4000up	9.37	H
56	x 7.5	x 4000up	9.06	H
56	x 8	x 4000up	9.57	H
56	x 10	x 4000up	11.5	H
56	x 13.8	x 4000up	14.5	H
57	x 6	x 4000up	7.62	H
60	x 14	x 4000up	16	H
60.5	x 1.65	x 4000	2.42	C
60.5	x 1.65	x 5500		
60.5	x 2.8	x 4000	4.02	H/C
60.5	x 2.8	x 5500		
60.5	x 2.8	x 8000		C
60.5	x 3.5	x 4000	4.97	H/C
60.5	x 3.5	x 5500		
60.5	x 3.5	x 8000		H
60.5	x 3.9	x 4000	5.5	H/C
60.5	x 3.9	x 5500		
60.5	x 3.9	x 8000		H
60.5	x 5.5	x 4000	7.54	H
60.5	x 5.5	x 5500		
60.5	x 8.7	x 4000	11.2	H
60.5	x 8.7	x 5500		
60.5	x 10	x 4000up	12.6	H
60.5	x 11.1	x 4000	13.7	H
60.5	x 11.1	x 5500		
62	x 6.5	x 4000up	8.99	H
62	x 8	x 4000up	10.8	H
63.5	x 3	x 4000	4.52	H

径φ (mm)	厚さ	長さ (mm)	質量 (kg/m)	仕上げ
63.5	x 3.5	x 4000	5.23	H
63.5	x 4	x 4000	5.93	H
63.5	x 4.5	x 4000	6.61	H
63.5	x 5	x 4000	7.29	H
63.5	x 6.5	x 4000	9.23	H
63.5	x 10.4	x 4000up	13.8	H
63.5	x 12	x 4000up	15.4	H
63.5	x 16	x 4000up	18.9	H
65	x 3	x 4000	4.63	H
65	x 5	x 4000	7.47	H
65	x 6	x 4000	8.82	H
65	x 8	x 4000up	11.4	H
65	x 10	x 4000up	13.7	H
65	x 14.5	x 4000up	18.2	H
66	x 9	x 4000up	12.8	H
66	x 11	x 4000up	15.1	H
67	x 12	x 4000up	16.4	H
67	x 14.5	x 4000up	19	H
68	x 13	x 4000up	17.8	H
70	x 6.5	x 4000up	10.3	H
70	x 8	x 4000up	12.4	H
70	x 10	x 4000up	14.9	H
70	x 12.5	x 4000up	17.9	H
70	x 15	x 4000up	20.6	H
70	x 17.5	x 4000up	22.9	H
71	x 13	x 4000up	18.8	H
71	x 18	x 4000up	23.8	H
72	x 9	x 4000up	14.1	H
72	x 17.5	x 4000up	23.8	H
73	x 7	x 4000up	11.5	H
73	x 10	x 4000up	15.7	H
73	x 15.8	x 4000up	22.5	H
75	x 10	x 4000up	16.2	H
75	x 12.5	x 4000up	19.5	H
75	x 15	x 4000up	22.4	H
75	x 17.5	x 4000up	25.1	H
76	x 18	x 4000up	26	H
76.3	x 2.1	x 4000	3.88	C
76.3	x 2.1	x 5500		
76.3	x 3	x 4000	5.48	H
76.3	x 3	x 5500		
76.3	x 3.5	x 4000	6.35	H
76.3	x 3.5	x 5500		
76.3	x 5.2	x 4000	9.21	H/C

板 sheet P1-10
丸棒 Round Bar P11-14
センターレス Centerless P15
アングル Angle P16-17
チャンネル Channel P18
フラットバー Flat Bar P19-22
六角棒 Hexagon Bar P23
溶接管 Welding Pipe P24-30
シームレス管 Seamless Pipe P31-38
チタンの紹介 P39-46
板 Sheet P47
丸棒 Round Bar P48
溶接管 Welding Pipe P49
参考資料 ① P51-55
参考資料 ② P56-57
参考資料 ③ P58-62
参考資料 ④ P63-65
参考資料 ⑤ P66
参考資料 ⑥ P67
参考資料 ⑦ P68
参考資料 ⑧ P69-71

SUS304 ステンレスシームレス (JIS G3459) 厚み 76.3mm ~ 110mm

径φ (mm)	厚さ		長さ (mm)	質量 (kg/m)	仕上げ
76.3	x	5.2	x 5500	9.21	H/C
76.3	x	7	x 4000	12.1	H
76.3	x	7	x 5500		
76.3	x	9.5	x 4000	15.8	H
76.3	x	9.5	x 5500		
76.3	x	9.5	x 8000		
76.3	x	14	x 4000	21.7	H
78	x	7.5	x 4000up	13.2	H
78	x	9	x 4000up	15.5	H
78	x	16.5	x 4000up	25.3	H
80	x	4	x 4000	7.57	H
80	x	5	x 4000	9.34	H
80	x	6	x 4000	11.1	H
80	x	10	x 4000up	17.4	H
80	x	12.5	x 4000up	21	H
80	x	15	x 4000up	24.3	H
80	x	20	x 4000up	29.9	H
82	x	10	x 4000up	17.9	H
82	x	15	x 4000up	25	H
83	x	8.5	x 4000up	15.8	H
85	x	8	x 4000up	15.3	H
85	x	10	x 4000up	18.7	H
85	x	12.5	x 4000up	22.6	H
85	x	15	x 4000up	26.2	H
85	x	16.5	x 4000up	28.2	H
85	x	20	x 4000up	32.4	H
88	x	10.5	x 4000up	20.3	H
89.1	x	2.1	x 4000	4.55	C
89.1	x	3	x 4000	6.43	H
89.1	x	3	x 5500		
89.1	x	4	x 4000	8.48	H
89.1	x	4	x 5500		
89.1	x	4	x 8000		
89.1	x	5.5	x 4000	11.5	H
89.1	x	5.5	x 5500		
89.1	x	7.6	x 4000	15.4	H
89.1	x	7.6	x 5500		
89.1	x	11.1	x 4000	21.6	H
89.1	x	11.1	x 5500		
89.1	x	11.1	x 8000		
89.1	x	15.2	x 4000	28	H
89.1	x	15.2	x 8000		
90	x	10	x 4000up	19.9	H
90	x	13.5	x 4000up	25.7	H

径φ (mm)	厚さ		長さ (mm)	質量 (kg/m)	仕上げ
90	x	15	x 4000up	28	H
90	x	20	x 4000up	34.9	H
90	x	22.5	x 4000up	37.8	H
90	x	25	x 4000up	40.5	H
92	x	16.8	x 4000up	31.5	H
95	x	4.5	x 4000up	10.1	H
95	x	7.5	x 4000up	16.3	H
95	x	10	x 4000up	21.2	H
95	x	12.5	x 4000up	25.7	H
95	x	15	x 4000up	29.9	H
95	x	20	x 4000up	37.4	H
95	x	22.5	x 4000up	40.6	H
97	x	17	x 4000up	33.9	H
100	x	10	x 4000up	22.4	H
100	x	14.5	x 4000up	30.9	H
100	x	20	x 3000up	39.9	H
100	x	22	x 4000up	42.7	H
101	x	16	x 4000up	33.9	H
101	x	18	x 4000up	37.2	H
101.6	x	2.1	x 4000	5.2	C
101.6	x	3	x 4000	7.37	H
101.6	x	3	x 5500		
101.6	x	4	x 4000	9.72	H
101.6	x	4	x 5500		
101.6	x	5.7	x 4000	13.6	H
101.6	x	5.7	x 5500		H/C
101.6	x	8.1	x 4000	18.9	H
101.6	x	8.1	x 5500		
101.6	x	12.7	x 4000	28.1	H
101.6	x	12.7	x 5500		
101.6	x	12.7	x 8000		
101.6	x	22.5	x 4000up	44.3	H
102	x	9	x 4000up	20.8	H
103	x	14	x 4000up	31	H
104	x	7	x 4000up	16.9	H
105	x	10	x 4000up	23.7	H
106	x	10	x 4000up	23.9	H
106	x	15	x 3500up	34	H
106	x	18	x 3500up	39.5	H
106	x	20	x 4000up	42.8	H
106	x	25	x 4000up	50.4	H
107	x	19.5	x 4000up	42.5	H
110	x	10	x 4000up	24.9	H
110	x	15	x 4000up	35.5	H

SUS304 ステンレスシームレス (JIS G3459) 厚み 110mm ~ 155mm

径φ (mm)	厚さ	長さ (mm)	質量 (kg/m)	仕上げ
110	x 20	x 4000up	44.8	H
112	x 19	x 4000up	44	H
112	x 25	x 4000up	54.2	H
114.3	x 2.1	x 4000	5.87	C
114.3	x 2.1	x 5500		
114.3	x 3	x 4000	8.32	H
114.3	x 3	x 5500		
114.3	x 3	x 8000		
114.3	x 4	x 4000	11	H
114.3	x 4	x 5500		
114.3	x 4	x 8000		
114.3	x 6	x 4000	16.2	H
114.3	x 6	x 5500		
114.3	x 8.6	x 4000	22.6	H
114.3	x 8.6	x 5500		
114.3	x 11.1	x 4000	28.5	H
114.3	x 11.1	x 5500		
114.3	x 13.5	x 4000	33.9	H
114.3	x 13.5	x 5500		
114.3	x 17.1	x 4000	41.4	H
114.3	x 20	x 4000up	47	H
116	x 27	x 4000up	59.9	H
117	x 19.5	x 4000up	47.4	H
118	x 19	x 4000up	46.9	H
118	x 24	x 4000up	56.2	H
118	x 28	x 4000up	62.8	H
120	x 3	x 4000	8.74	C
120	x 10	x 4000up	27.4	H
120	x 15	x 4000up	39.2	H
120	x 20	x 4000up	49.8	H
120	x 26	x 4000up	60.9	H
123	x 13	x 4000up	35.6	H
125	x 6.5	x 4000up	19.2	H
125	x 12.5	x 4000up	35	H
125	x 17.5	x 4000up	46.9	H
125	x 20	x 4000up	52.3	H
127	x 8	x 4000up	23.7	H
127	x 10	x 4000up	29.1	H
127	x 20	x 4000up	53.3	H
127	x 29	x 4000up	70.8	H
129	x 21	x 4000up	56.5	H
130	x 10	x 4000up	29.9	H
130	x 15	x 4000up	43	H
130	x 27.5	x 4000up	70.2	H

径φ (mm)	厚さ	長さ (mm)	質量 (kg/m)	仕上げ
131	x 9	x 4000up	27.4	H
131	x 26	x 4000up	68	H
132	x 11	x 4000up	33.2	H
132	x 13	x 4000up	38.5	H
132	x 21	x 4000up	58.1	H
132	x 30.5	x 4000up	77.1	H
135	x 7.5	x 4000up	23.8	H
135	x 10	x 4000up	31.1	H
135	x 15	x 4000up	44.8	H
135	x 20	x 4000up	57.3	H
135	x 25	x 4000up	68.5	H
138	x 15.5	x 4000up	47.3	H
139.8	x 2.8	x 4000	9.56	C
139.8	x 3.4	x 4000	11.6	C
139.8	x 5	x 4000	16.8	H
139.8	x 5	x 5500		
139.8	x 6.6	x 4000	21.9	H
139.8	x 6.6	x 5500		
139.8	x 9.5	x 4000	30.8	H/C
139.8	x 9.5	x 5500		
139.8	x 12.7	x 4000	40.2	H
139.8	x 12.7	x 5500		
139.8	x 15.9	x 4000	49.1	H
139.8	x 15.9	x 5500		
139.8	x 19.1	x 5500	57.4	H
140	x 10	x 4000up	32.4	H
140	x 15	x 4000up	46.7	H
140	x 20	x 4000up	59.8	H
140	x 25	x 4000up	71.6	H
140	x 30	x 4000up	82.2	H
145	x 10	x 4000up	33.6	H
145	x 12.5	x 4000up	41.3	H
145	x 15	x 4000up	48.6	H
145	x 20	x 4000up	62.3	H
145	x 25	x 4000up	74.7	H
150	x 10	x 4000up	34.9	H
150	x 12.5	x 4000up	42.8	H
150	x 15	x 4000up	50.4	H
150	x 22	x 4000up	70.1	H
150	x 27.5	x 4000up	83.9	H
150	x 35	x 4000up	100	H
155	x 15	x 4000up	52.3	H
155	x 20	x 4000up	67.3	H
155	x 25	x 4000up	81	H

板 sheet P1-10
丸棒 Round Bar P11-14
センターレス Centerless P15
アングル Angle P16-17
チャンネル Channel P18
フラットバー Flat Bar P19-22
六角棒 Hexagon Bar P23
溶接管 Welding Pipe P24-30
シームレス管 Seamless Pipe P31-38
チタンの紹介 P39-46
板 Sheet P47
丸棒 Round Bar P48
溶接管 Welding Pipe P49
参考資料 ① P51-55
参考資料 ② P56-57
参考資料 ③ P58-62
参考資料 ④ P63-65
参考資料 ⑤ P66
参考資料 ⑥ P67
参考資料 ⑦ P68
参考資料 ⑧ P69-71

SUS304 ステンレスシームレス (JIS G3459) 厚み 157mm ~ 406.4mm

径φ (mm)	厚さ	長さ (mm)	質量 (kg/m)	仕上げ
157	x	28.5	x	4000up
160	x	15	x	4000up
160	x	20	x	4000up
160	x	24	x	4000up
160	x	30	x	4000up
160	x	35	x	4000up
162	x	11	x	4000up
165.2	x	3.4	x	4000
165.2	x	3.4	x	5500
165.2	x	5	x	4000
165.2	x	5	x	5500
165.2	x	5	x	8000
165.2	x	7.1	x	4000
165.2	x	7.1	x	5500
165.2	x	7.1	x	8000
165.2	x	11	x	4000
165.2	x	11	x	5500
165.2	x	11	x	8000
165.2	x	14.3	x	4000
165.2	x	14.3	x	5500
165.2	x	18.2	x	4000
165.2	x	18.2	x	5500
166	x	23	x	4000up
170	x	10	x	4000up
170	x	15	x	4000up
170	x	20	x	4000up
170	x	26	x	4000up
176	x	18	x	4000up
180	x	15	x	4000up
180	x	18	x	4000up
180	x	20	x	4000up
180	x	27.5	x	4000up
180	x	30	x	4000up
181	x	10	x	4000up
181	x	16	x	4000up
185	x	28	x	4000up
190	x	15	x	4000up
190	x	20	x	4000up
190	x	25	x	4000up
190	x	29	x	4000up
190	x	30	x	4000up
195	x	10	x	4000up
195	x	15	x	4000up
195	x	20	x	4000up
195	x	25	x	4000up

径φ (mm)	厚さ	長さ (mm)	質量 (kg/m)	仕上げ
195	x	30	x	4000up
200	x	10	x	4000up
200	x	15	x	4000up
200	x	20	x	4000up
200	x	25	x	4000up
200	x	30	x	4000up
210	x	12	x	4000up
212	x	21	x	3500up
212	x	31	x	2500up
216.3	x	4	x	4000
216.3	x	6.5	x	4000
216.3	x	6.5	x	5500
216.3	x	8.2	x	4000
216.3	x	8.2	x	5500
216.3	x	12.7	x	4000
216.3	x	12.7	x	5500
216.3	x	18.2	x	4000
216.3	x	18.2	x	5500
216.3	x	23	x	4000
224	x	32	x	2500up
230	x	15	x	3500up
230	x	20	x	3500up
232	x	17	x	3500up
235	x	20	x	2500up
240	x	22.5	x	2500up
250	x	25	x	2000up
255	x	29	x	2000up
260	x	29	x	2000up
262	x	19	x	2000up
267.4	x	4	x	4000
267.4	x	6.5	x	5500
267.4	x	9.3	x	6000
267.4	x	15.1	x	6000
267.4	x	21.4	x	6000
267.4	x	28.6	x	6000
318.5	x	10.3	x	6000
318.5	x	17.4	x	6000
318.5	x	25.4	x	6000
318.5	x	33.3	x	6000
355.6	x	5	x	4000
355.6	x	11.1	x	6000
355.6	x	19	x	6000
406.4	x	5	x	4000
406.4	x	12.7	x	6000
406.4	x	21.4	x	6000